



# TRAFFIC SAFETY PRODUCTS

**PLASTICADE®**

Increase your visibility.

WORK ZONE • CROWD CONTROL • AIRPORT SAFETY • WATCHDOG SIGNS • FLAGGING • UTILITY SAFETY • ADA • PARKING LOT PRODUCTS

## TABLE OF CONTENTS

Water Filled Barricade Systems... 1	Delineators..... 13
ADA Barricades Systems..... 2	Cones..... 14
Crowd Control Barricades..... 3	Watchdog Sign Stands..... 15
Airport Products..... 4	Watchdog Snap N Pack..... 23
Glare Screen..... 5	Watchdog Roll-Up Signs..... 25
Type III Barricades..... 6-7	Parking Lot Rubber Products..... 26
Barricade Boards..... 7	Wheel Chocks..... 28
A-Frame Barricades..... 8	Flagger Station & Work Area Lighting.. 29
Type I & II Barricades..... 9	Flagger Poles..... 30
Vertical Panels..... 10	Curb Ramp..... 30
Traffic Drums..... 11	Trench Covers..... 31
Channelizer Cones..... 12	Portable Post & A-Frame Sign Stands.. 32

At Plasticade® we are committed to manufacturing our products to the highest standards of production. We are continually focusing on improving our procedures, performance, and technologies. Our manufacturing processes include blow molding, injection molding, recycled rubber molding, and extrusion molding. In addition, our staff is dedicated to providing customers with the highest level of customer service.

### Warranty

The Plasticade® family of plastic products have a 30 day limited warranty and rubber products have a 1 year limited warranty. Both cover manufacturer defects only. Damage caused by improper installation, use, or care is the responsibility of the user. This warranty does not include replacement for normal wear and tear. This warranty does not extend to any non-plastic or rubber components that may be part of the products. If a product fails during normal use within the warranty period due to a manufacturer defect, we will replace at no charge.

### Disclaimer

Designs are subject to change without prior notice. Any modification or unintended use voids all warranties. It is the responsibility of the purchaser or user of the product to determine that the product meets the specifications for their unique application and obtain from Plasticade® any necessary certifications before use. While Plasticade® cannot guarantee that every local or state agency has approved its products, we will provide all available WZ letters, Certificates of Compliance, crash test approvals, QPL and APL approvals for all products.

### U.S. Patents

Many of the products illustrated or described in this catalog are covered by US and foreign patents.



Visit [Plasticade.com](http://Plasticade.com) for additional information on our products. Our Traffic Safety State Reference Guide provides information on products certified for use in each state and includes product specifications and sheeting requirements.

In addition, you will find detailed drawings, photographs, and instruction sheets on the website.

**PLASTICADE®**

Plasticade.com  
100 Howard Avenue  
Des Plaines, IL 60018  
(800)772-0355

## WATER FILLED BARRICADE SYSTEMS

### HYDROCADE™

72"L x 32"H longitudinal channelizing device

Unique stacking design allow for up to 50% more units per truckload  
- 200 units per truck, 8 units per pallet

Durable construction, impact resistant

Flat obstruction free side, position to eliminate pedestrian trip hazard

Conforms to any roadway design  
- turns 90° and adjusts to curbs up to a 6° incline

Connector pins snap onto barricade center for storage and transport  
- sturdy and tough pins, built with strength-enhancing channels

Fill with 81 gallons of water for LCD deployable weight of 745 lbs.  
- every unit is leak tested

Two forklift access areas - Stacking lugs keep stacked units from sliding

Light shelf for standard barricade light

Accepts optional fence panels in place of connector pins


Areas for retroreflective striped sheeting, 44" x 8" on both sides

Dimensions: 79" L x 17.5" W x 32" H  
Connected length: 72"  
Weight: Empty - 67 lbs., Water filled - 745 lbs.

Crash tested for TL-3 MASH Acceptance  
- submitted to FHWA\*

Meets MUTCD Standards


Made in the USA



**TL-3 LONGITUDINAL CHANNELIZING DEVICE\***

**UP TO  
50% MORE  
PER TRUCK**

**Unique Stacking  
Design!  
8 Units/Pallet  
200 Units/Truck**



**Optional fencing available for both  
water barricades**

### WATER FILLED BARRICADE



**Connector  
Pin**

#### TL-3 LONGITUDINAL CHANNELIZING DEVICE

60"L x 36"H channelizing device, fillable with water or sand

Conforms to any roadway design, can turn 90°  
- linked units secured with connector pin

Lightweight, 50 lbs. when empty  
- no heavy machinery needed for installation

Stackable for transport and storage, 820 LFT/truck (164 units)

Forklift access, recessed areas at bottom of barricade  
- can be moved while filled with water

Fill with up to 72 gallons of water  
- every unit is leak tested

Light pocket for standard barricade light, use 5" light bolt

Accepts optional fence panels  
- 54"W fencing with 8"H - 3" diameter posts (covers 60")

Dimensions: 60"L x 24"W x 36"H  
Connected length: 60"  
Weight: Empty - 50 lbs., Water filled - 683 lbs.

MASH Accepted WZ-387, Test Level 3, Meets MUTCD Standards

Made in the U.S.A.

# ADA BARRICADE SYSTEMS

## ADA PATHCADE™ BARRICADE

Meets ADA requirements, 72"L x 38"H x 3"D, 31 lbs.  
 - continuously detectable edge at barricade top and bottom

Tripod leg system, no sandbags needed when using all 3 feet  
 - anti-trip foot on one side  
 - two larger feet on other side  
 - use only larger feet with sandbags for ADA Compliance

Easy handle turn deploys barricade feet!  
 - unique soft grip handle system, quick turn moves feet out or back in

Stack 20% more  
 - nesting system allows for 19 units to be stacked on pallet  
 - lowers transportation costs  
 - stacking lugs keep stacked units from shifting

Shape to any layout, units pivot 120°  
 - 3 units in triangle layout for manhole guard

Robust dual connectors create easy to use linking system

Smooth, comfortable guardrail  
 - rounded edge on top of panel

Four recessed sheeting areas, two on each side of panel, 8" x 50" ea.

Light shelves hold standard barricade lights, 2 per section


Holes for attaching signage to panel

MASH Accepted WZ-428, Meets MUTCD Standards

Made in the U.S.A.



- Multi-purpose Barricade System**
- Crowd Control System
  - Manhole Guard
  - ADA Pedestrian Pathway System
  - Longitudinal Channelizing Device



Tripod Leg System



Handle turn  
Deploys Feet



Add Signs for  
Crowd Control



Create ADA Compliant  
Pedestrian Pathway



Use Three Units  
To Create Manhole Guard

## STRONGWALL ADA BARRICADE

Limits access to work zones  
 - provides a continuous path for motorists and pedestrians

No sandbags needed! Stable in windy conditions

ADA Compliant, no trip hazard for pedestrians  
 - meets or exceeds ADA Guidelines and MUTCD Standards

Linking sections are made up of two pieces that securely fit together  
 - Top Wall - rugged polyethylene  
 - Bottom Base - 43 lb. self weighted black base, with carry handle

Modular system can be shaped to any layout, quick and easy to install

Anti-tamper linking system  
 - difficult for unauthorized personnel to dismantle when linked

Compact stacking lowers transportation costs

Top Dimensions: 38"H with base, 43"long (40.4" connected length), 8 lbs.  
 Base Dimensions: 40.4"L x 15.5"W x 12"H, 43 lbs.

MASH Accepted WZ-328, Meets MUTCD Standards



**43 lb. Base  
Eliminates  
Sandbags**



38"H with Base

Carry Handle

# CROWD CONTROL BARRICADES

## CROWDCADE™

6' durable plastic barricade with strong plastic legs and rubber feet

Sturdy, and durable - thick, double wall panel

Feet won't break off from panel  
 - stable, recycled rubber feet, securely attached to panel

Easy stacking, no tangling of feet  
 - feet rotate flat for stacking  
 - molded-in lugs keep units from sliding when stacked

Tamper resistant linking bracket  
 - prevent in-line barricades from being pulled apart


Linking bracket accommodates various configurations  
 - units pivot on bracket and adjust to uneven ground

Holes for bolting on signs (one side)


Panels on both sides for retroreflective sheeting

Dimensions: 74" x 39.5" Connected Length: 6', 32 lbs.


Made in the U.S.A.



Panels on both sides  
for sheeting



Holes for sign to be affixed



Connected  
unlocked

Connected  
locked

Feet rotate  
for stacking



Compact Stacking



# AIRPORT PRODUCTS

## LO-PRO™ AIRPORT BARRICADE

Low-profile interlocking barricade system used to close taxiways, runways, and delineate construction areas

8 ft. long and 10 in. high barricade, units interlock

Durable construction, 25 lbs.  
- enhanced wall thickness on barricade bottom  
- molded reinforcing ribs add stiffness and strength

Connectors are molded into the barricade, no pins to lose  
- allows interconnected units to pivot in multiple orientations between 90° and 180°

7° angled sidewall  
- facilitates visibility  
- accepts 70"L x 6"H continuous retroreflective sheeting

Fill with up to 220 lbs. (26 gallons) of water  
- two fill holes and one drain hole


Accepts two styles of lights  
- 360° round, screw on airport lights  
- standard barricade, bolt on lights

Two flag mounts

FOD (foreign object debris) Free

Forklift access, recessed areas at bottom of barricade

Stackable for transportation and storage  
- multiple stacking lugs keep units in place while stacked



Meets FAA Advisory Circular No. FAA AC150/5370-2G

## FLAG



20" x 20" vinyl flag  
Stiffener keeps flag open  
36"L wood dowel

## 360° RED SOLAR LED LIGHT



Ambient light sensing,  
- turns on automatically in low light  
- photocell sensitivity - 100-250 lux  
4 LED bulbs  
- brightness - 4.5 Candelas  
Flashes 50 to 55 times per minute  
Standard 2" straight pipe thread  
for easy installation  
Ni-Mh battery included  
Sub C battery with flat top 1.2V 3400mAh high capacity

**WARNING**  
This product can expose you to nickel, which is a known to the State of California to cause cancer and birth defects or other reproductive harm.  
For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## AIRCRAFT BALLAST

Attain desired center of gravity balance the clean, easy way

Available in two weights, 25 and 50 lbs.

Made of 100% post-consumer recycled rubber

Easier to use and cleaner than sandbags, lead, or steel pellets

Molded-in handle for ease of handling

Low profile, leaves extra room in cargo space

Stackable

Customizable with your name or logo

Dimensions: 30"L x 14"W (25 lb. - 1.8"H, 50 lb. - 3.5" H)



Compact Stacking

# GLARE SCREEN



Vertical Blade and Rail System

- Attach to existing barrier wall
- Reduce headlight glare from opposing traffic
- Curtail gawking in work zones
- Prevent pedestrians from crossing barrier

Reduces installation time!  
- Unique "Snap in Place" design  
- quick and easy installation and removal on-site  
- limits worker exposure to dangerous work zones

Reduces labor costs!  
- No time-consuming preassembly needed

Reduces transportation costs by 65% or more  
- Fit over 3 miles of glare screen on one semi truck, compared to 1 mile of competitor's product

Reduces storage space needed by 80% or more  
- quick to disassemble and store  
- compact stacking of rails and blades

Blades are re-positionable on-site for barrier wall relocation  
- only two blades need to be removed for relocation  
- base rail remains in place

Standard product is for use on left side of traffic  
- can be provided for use on both left and right sides

Rail mounts flush on barrier wall eliminating rail fractures

All polymer plastic  
- no fiberglass splinters  
- no rust  
- durable and long lasting

6"W blades  
- available in heights 18" to 24", other heights upon request

6"W rails  
- available in various lengths up to 15'

Made in the U.S.A.




22° angled blades reduce glare



Both rails and blades stack compactly for transportation and storage  
Fit 1 mile of glare screen on 5 pallets

Plasticade® Modular Glare Screen assembles quickly on-site, saving you money on labor!




Assemble at job site in 37 seconds  
Only 11 pieces to assemble for 12' wall

VS.



Competitor's must be preassembled in a warehouse  
A 12' barrier has 121 pieces to assemble



Place removal tool near a blade.  
Pull back on tool and rail to release blade from rail lip.

# TYPE III BARRICADES



### Power Post Uprights Volcano™ Rubber Bases

MASH Accepted WZ-343  
Meets MUTCD Standards

#### Power Post Uprights

- Lightweight but strong plastic square tube 67% lighter than steel square tube posts
- Impact resistant, no rust or corrosion
- Uprights have holes for attaching boards and lights

#### Volcano™ Rubber Base

- 43.25 lbs., holds posts up to 1.75" x 1.75"
- contains steel base plate for upright insertion
- two carry handles



### Power Post Uprights Steel Square Tube Feet

MASH Accepted WZ-327  
Meets MUTCD Standards

#### Power Post Uprights

- Lightweight but strong plastic square tube 67% lighter than steel square tube posts
- Impact resistant, no rust or corrosion
- Uprights have holes for attaching boards and lights

#### Steel Square Tube Feet

- Feet are 14 gauge, galvanized
- Hot rolled high carbon steel



### Power Post Uprights Angle Iron Feet

MASH Accepted WZ-327  
Meets MUTCD Standards

#### Power Post Uprights

- Lightweight but strong plastic square tube 67% lighter than steel square tube posts
- Impact resistant, no rust or corrosion
- Uprights have holes for attaching boards and lights

#### Angle Iron Feet

- Feet are 10 gauge steel, galvanized



### Steel Square Tube Uprights & Feet

Crash tested for  
MASH Acceptance  
submitted to FHWA  
Meets MUTCD Standards

#### Steel Square Tube Uprights & Feet

- 14 gauge, galvanized
- Hot rolled high carbon steel
- Accepts two flashing lights



### Steel Square Tube Uprights Angle Iron Feet

NCHRP-350 Accepted  
Meets MUTCD Standards

#### Steel Square Tube Uprights

- 14 gauge, galvanized
- Hot rolled high carbon steel
- Accepts two flashing lights

#### Angle Iron Feet

- Feet are 10 gauge steel, galvanized



### Angle Iron Uprights Angle Iron Feet

NCHRP-350 Accepted  
Meets MUTCD Standards

#### Angle Iron Uprights and Feet

- Feet are 10 gauge steel, galvanized
- Accepts two flashing lights

#### Dimensions:

- Power Post Upright - 1.75" x 1.75" x 63", 3 lbs.
- Steel Square Tube Upright - 1.75" x 1.75" x 63", 9 lbs.
- Steel Square Tube Foot - 1.75" x 1.75" x 60", Riser - 6"H, 10 lbs.
- Angle Iron Upright - 1.5" x 1.5" x 63", 7 lbs.
- Angle Iron Foot - 1.5" x 1.5" x 60", Riser - 6"H, 7 lbs.
- Volcano Rubber Base - 30.25"L x 14"W, 43.25 lbs.



# TYPE III BARRICADES

## PLASTICADE® BREAK-AWAY



All-plastic and collapsible

1" x 8" boards, 4', 6', 8', 10', or 12' long

Easier to transport, install, and store  
- than wood or steel

Accepts two flashing lights


Upright - 3.5" x 3.5" x 5'  
Base - 1.5" x 5.5" x 5'

MASH Accepted WZ-299

Meets MUTCD Standards

Made in the USA

Assembled Barricade  
easily folds down  
for transport and storage



## SENTINEL™



All plastic and easy to assemble

Two pieces snap together, no hardware required

Available with 1" x 8" boards, 4' or 6' long

Base can be ballasted with sand, sandbags  
- or with water (in warmer climates)

Dimensions: 36"W x 48"D x 68.8"H, 15 lbs.

MASH Accepted WZ-302


Meets MUTCD Standards

Made in the U.S.A.

Upright Snaps  
into the Base



## TYPE III & A-FRAME BARRICADE BOARDS



Extruded Hollow Core Design  
with Internal Walls for  
Strength and Durability

1" x 8" plastic boards come in 4', 6', 8', 10', and 12' lengths

Boards are .75" thick

High density polyethylene material resists fading, chipping, or splintering

Flat surface displays retroreflective sheeting  
- complies with MUTCD requirements

Hollow core extruded design  
- internal walls provide lightweight strength and durability

Can be used in various generic Type III Barricade designs accepted by FHWA

Order with or without drilled bolt holes for Type III Barricades

Made in the U.S.A.

## POWER™ BOARDS FOR BARRICADES



Barricade boards come in 3 sizes

Blow molded boards have greater strength and durability  
- double wall creates stiffer, longer lasting board  
- will not bend, warp, crack, splinter, or peel


Hole punch-outs are molded into the board

Names can be stenciled on the boards for identification

Available in 3 sizes  
- 24"W x 12"H  
- 24"W x 8"H  
- 24"W x 6"H

Boards are .65" thick

Made in the U.S.A.



# A-FRAME BARRICADES

## OMNI™ A-FRAME



Versatile, accepts many types of boards  
 - Plasticade® I-Beam boards  
 - Plasticade® 1" x 8" boards (Type III boards)  
 - other plastic boards (I-Beams, thin rails, panels)  
 - wood boards

20% heavier than Plasticade® A-Frame  
 - solid wall design

Customize nameplate with your name or logo

Stacking lugs  
 - make transportation and storage easy


Flashing light mounting receptacle on leg

Use with one board or two

Sold in sets or as component parts

Leg Dimensions: 40"H x 28.6"W, 6 lbs.

Made in the U.S.A.



I-Beam Boards have a unique design that adds to the rigidity of the unit. The recessed area for sheeting helps to protect the sheeting from damage. Available in 6', 8', & 10' lengths.

1" x 8" Boards are a hollow core extruded design. Internal walls provide lightweight strength and durability. Available in 6', 8', 10', & 12' lengths.

## PLASTICADE® A-FRAME



Accepts only Plasticade® I-Beam boards

Molded hollow  
 - may weight internally with dry sand

Stacking lugs  
 - make transportation and storage easy

Flashing light mounting receptacle on leg

Use with one board or two

Sold in sets or as component parts


Leg Dimensions: 42"H x 28"W (board opening - nominal 2"W x 8"H), 5 lbs.

Made in the U.S.A.

I-Beam Board



1.75" I-Beam's recessed face protects the sheeting



Remove plug and fill with up to 7 lbs. of dry sand to ballast

# TYPE I & TYPE II BARRICADES



## PLASTICADE®

All plastic and maintenance free

Molded hollow  
 - ballast with up to 10 lbs. of sand  
 - ballasting creates low center of gravity  
 - more likely to fold and fall down flat when hit  
 - less susceptible to being blown over

"Click-lock" hinges hold securely when open

Flashing light can be attached

Dimensions: 25"W x 45"H, 16 lbs.  
 - top panel: 24" x 12", bottom panel: 24" x 8"

MASH Accepted WZ-409, Meets MUTCD Standards

Made in the U.S.A.



## FIBERCADE™

All plastic barricade

Boards have "double-wall" design  
 - for strength and rigidity

Built from component parts  
 - legs and boards can be replaced

Bottom board can carry a 35 lb. sandbag

Flashing light can be attached

Boards are available in three sizes  
 2" x 24", 8" x 24", and 3" x 24"

Dimensions: 24"W x 43.3"H, 16 lbs.

MASH Accepted WZ-408

Meets MUTCD Standards

Made in the U.S.A.



## ECONOCADE®

All plastic economical barricade

Easy to handle, pack and transport-  
 - strong and stackable

Solid wall design  
 - legs and boards are molded in one piece

Dimensions: 24.4"W x 42.6"H, 13 lbs.  
 - top panel: 24" x 12", bottom panel: 24" x 8"

MASH Accepted WZ-407

Meets MUTCD Standards

Made in the U.S.A.



## COMBOCADE™

Steel leg barricade with plastic boards

Boards can be replaced  
 - legs can be replaced or repaired

45" steel legs, 14 gauge, galvanized

Plastic, double wall Power™ Boards  
 - will not bend, warp, crack, splinter, or peel

Bolt holes are molded into the plastic boards

Dimensions: 24.4"W x 42.6"H  
 Boards: 12" x 24", 8" x 24", and 6" x 24"

MASH Accepted WZ-406

Meets MUTCD Standards

Boards Made in the U.S.A.



Purchase the Combocade fully assembled or as component parts



## SAFETYCADE®

All plastic barricade with replaceable plastic sheeting panels, just clip on new panels

Quick set-up  
 - spring loaded feet quickly release for placement

Lies flat when hit

Anti-skid pads on feet reduce movement in work zones

Feet come filled with 7.5 lbs. of sand each  
 - optional ballast boots snap on feet adding 20 lbs. each

Molded-in light receptacle for "D" cell battery lights

Dimensions: 42.5"H x 33"W x 3"D, 29 lbs.  
 - top panel: 24" x 12", bottom panel: 24" x 8"

MASH Accepted WZ-410, Meets MUTCD Standards

Made in the U.S.A.

Ballast Boot Available



## VERTICAL PANELS

### GEMSTONE™

36"H x 8"W for reflective sheeting

Oversized handle with comfort grip - can be picked up easily, even with light attached

Thick flange holds onto the base, stands up to extreme heat  
- increased rigidity from larger ribbing, eliminates splitting and cracking

Flashing light mounting receptacle

Solid recycled rubber base in 20 or 30 lbs.

Available in orange or white

Dimensions: 44.5"H x 14.75"W, 4 lbs.

MASH Accepted WZ-300, Meets MUTCD Standards

Made in the U.S.A.



8" x 36" Panel



Handle is easy to grab



20 lb. base

30 lb. base

### CROSSCADE™ 24 & 36

Impact resistant plastic panel and recycled rubber base - 24" H or 36" H

Press fit base, push panel down into base, using foot ledge for a tight fit

28 lb. and 43 lb. recycled rubber bases

Hole for attaching a barricade light (D Cell & 6 Volt), ledge holds light upright

Molded in handles, both panel and base, ergonomic, easy to use with gloves on

Stacking lugs on panels, keep stacked panels from sliding

Sheeting or signs are applied directly to panel face, no bolts needed

MASH Accepted, WZ-469

- 36" H panel, 43 lb. base, with barricade light

Meets MUTCD Standards for pedestrian barricades

Crosscade 24: 38.42"H x 14.3"W x 2"D, 5.5 lbs.  
Crosscade 36: 50.42"H x 14.3"W x 2"D, 8 lbs.


Made in the U.S.A.



Crosscade™ 36  
12" x 36" Panel

Crosscade™ 24  
12" x 24" Panel

Foot Ledge



Recycled Rubber Base  
28 or 43 Lbs.  
27.59"L x 14.3"W

### VERTICADE™

12" x 36" panel for retroreflective sheeting on two sides

Replaceable plastic sheeting panels  
- recessed panels are removable, just clip on new panels

Compact stacking, feet fold for transport and storage

Quick set-up  
- spring loaded feet quickly release for placement

Lies flat when hit

Anti-skid pads on feet reduce movement in work zones

Feet come filled with 7.5 lbs. of sand  
- optional ballast boots snap on feet adding 20 lbs. each

Molded-in light receptacle for "D" cell battery lights

Dimensions: 43.5"H x 21"W x 3"D, 27 lbs.

MASH Accepted, WZ-411, Meets MUTCD Standards

Made in the U.S.A.



12" x 36" Panel



Lies flat when hit, reducing  
damage to unit and vehicle



Optional Ballast Boot  
Snaps on feet of Verticade™  
and Safetycade®

## TRAFFIC DRUMS

### COMMANDER™

Enhanced Material Formulation  
- superior Rebound-ability and durability

Power Dome, handle and dome inter-fuse creating strength  
- thicker wall resists denting

Tighter Stacking & Packing, maximizes transport and storage space

Tire Locking Ring Design, inhibits movement of drum on road surface  
- wedge fit created from skirt ramp and elliptical shaped bottom  
- textured skirt increases friction and grabs tire

Anti-roll design, flat sections on two sides

Light folds over for stacking

Comfort grip handle

Five tier design to maximize reflective sheeting

Available in low or high density polyethylene


Dimensions: 39.7"H x 23.5"W, 8 lbs.

MASH Accepted, Meets MUTCD Standards


Made in the U.S.A.



Power Dome  
Gentle slope of dome  
merges with handle




Light folds over  
for stacking



Skirt ramp creates  
Wedge Fit

Textured to  
grab tire



Design Maximizes Transport

### LANE CHANGER™ B500



Impact resistant high density polyethylene

Use with a tire ring

Domed top sheds debris and water

Five tier design protects sheeting when stacked

Anti-roll design

Comfortable grip, fracture resistant handle

Double light mount

Locking base grips tire ring

Customize drum with molded in name or logo

Dimensions: 41.5"H, 8 lbs.

MASH Accepted, Meets MUTCD Standards

Made in the U.S.A.

### B400 TRAFFIC DRUM



Uses snap on recycled rubber base, 25, 35, or 40 lbs.

- ribbed bottom for easy base attachment  
- drum can be dragged without separation of top and base

Rounded ergonomic handle

5 tier design, protects sheeting when stacked

Two light mounts

Four 5" wide anti-rotation claws, keep drums facing traffic

Available in high density polyethylene

Customize drum with molded in name or logo

Dimensions: 40"H, 8 lbs.

MASH Accepted, Meets MUTCD Standards

Made in the U.S.A.



25 lbs.

35 lbs.

40 lbs.

# CHANNELIZER CONES

## NAVICADE™



42" channelizer (50" with handle)  
 Slim design  
 - perfect for narrow roadways where space is an issue  
 Very durable, designed to rebound after impact  
 Oversized handle, easy to grab with gloved hand or light attached  
 Stackable with or without base  
 42" available with 4 bands of sheeting  
 - choose 6" and/or 4" bands  
 Solid recycled rubber bases  
 - 10, 16, and 30 lbs.  
 Customize with molded in name or logo  
 - stenciling available  
 Dimensions: 50.4"H x 7.6"W, 3 lbs.  
 MASH Accepted WZ-301, Meets MUTCD Standards  
 Made in the U.S.A.



Unique angled handle allows workers wearing gloves to easily set up the Navicade, even with light attached.



## NAVICADE™ 28


28" channelizer (35.5" with handle)  
 Slim design  
 Very durable, designed to rebound after impact  
 Oversized handle, easy to grab with gloved hand or light attached  
 Stackable with or without base  
 28" available with 2 bands of sheeting  
 - choose 6" and/or 4" bands  
 Solid recycled rubber bases  
 - 10, 16, and 30 lbs.  
 Customize with molded in name or logo  
 - stenciling available  
 Dimensions: 35.5"H x 7.75"W, 2 lbs.  
 MASH Accepted (without light)  
 Meets MUTCD Standards  
 Made in the U.S.A.



## C42 CHANNELIZER



42" channelizer (48.9"H with handle)  
 Impact resistant polyethylene, high density  
 Slim design with five tiers  
 - protects sheeting when stacked  
 Comfortable grip, fracture resistant handle  
 Double light mount  
 Handle has holes to mount a sign  
 Reinforced flange as bottom, tightly holds rubber base  
 Solid recycled rubber bases  
 - 10, 16, and 30 lbs. (uses same bases as the Navicades)  
 Customize with molded in name or logo  
 - stenciling available  
 Dimensions: 48.9"H x 6"W, tapers to 4", 3 lbs.  
 MASH Accepted (without light)  
 Meets MUTCD Standards  
 Made in the U.S.A.



# DELINEATORS

## WATCHTOWER™

Strong Handle - Great For Caution Tape  
 42" Available Two Ways - Standard & Twin Lift




Two sizes  
 - 42" (47"H with handle)  
 - 28" (33.6"H with handle)  
 Comfort grip  
 - optional twin-lift, bottom handle for 42"  
 - dome cap provides strength and durability  
 - easy placement and pick-up  
 Post diameter - 4"  
 Recessed areas accept two bands of sheeting  
 - protects retroreflective sheeting  
 Flange on bottom grabs base for tight fit  
 Durable polyethylene  
 - bright orange for visibility, yellow in 42"  
 Recycled rubber bases, 8, 10, 12, and 18 lbs.  
 Weight: 42"H - 1.7 lbs., 28"H - 1.25 lbs.  
 MASH Accepted, Meets MUTCD Standards



ASK ABOUT COLORS!

## ARROW PRO™

Multi-function Arrow Top  
 Available with Twin Lift



42" H (47.5" with handle)  
 Multi-function handle  
 - easy placement and pick-up  
 - use with caution tape, rope, or plastic chain  
 Mounting hole for a flashing light  
 Recessed areas accept two bands of sheeting  
 - protects retroreflective sheeting from rips and scratches  
 Bright orange for visibility, other colors available  
 Flange on bottom grabs base for tight fit  
 Recycled rubber bases, 8, 10, 12, and 18 lbs.  
 Weight: 1.7 lbs.  
 MASH Accepted, Meets MUTCD Standards

New Twin Lift - Grip At Top or Bottom  
 Bottom Handle Makes It Easy  
 To Lift & Place With Base Attached

## GRIP TOP™

Easy To Grip - Great For Cone Bars  
 Standard & Twin Lift




42" (47.25"H with handle)  
 Large, strong handle is easy to grip  
 - quick placement and pick-up  
 Post diameter - 4"  
 Orange polyethylene  
 Cone bar slips over top  
 Recessed areas accept two bands of sheeting  
 - protects retroreflective sheeting from rips and scratches  
 Bright orange for visibility  
 Flange on bottom grabs base for tight fit  
 Recycled rubber bases, 8, 10, 12, and 18 lbs.  
 Weight: 1.7 lbs.  
 MASH Accepted, Meets MUTCD Standards




Use GripTop With Cone Bars!

## OPEN TOP

Simple & Effective Delineation  
 42" & 28"



Two sizes  
 - 42"  
 - 28"  
 Post diameter - 4"  
 Flange on bottom grabs base for tight fit  
 - 5.375" dia.  
 Quick to set up  
 Reflective bands, 3" or 4" wide  
 Durable polyethylene  
 Recycled rubber bases, 8, 10, 12, and 18 lbs.  
 Weight: 42"H - 1.7 lbs., 28"H - 1.1 lbs.  
 MASH Accepted, Meets MUTCD Standards



# CONES

## PVC TRAFFIC CONES



Standard - 36", 28", & 18"  
Slimline 28" & 36"

High visibility PVC injection molded cones, durable and reboundable  
 - 36" in 10 lbs. and 12 lbs. fluorescent orange  
 - 28" in 7 lbs. and 10 lbs. fluorescent orange and 7 lbs. lime green  
 - 18" in 3 lbs. fluorescent orange and lime green  
 - Slimline cones in 28" and 36"

Fluorescent orange or lime green color is molded throughout  
 - resists fading  
 - provides high visibility protection

One piece design - cone is permanently molded to black base  
 - won't separate when hit by a vehicle  
 - rubber base designed to grip the road

Hand-grip at top

Stable on the road, won't be blown over

Stackable for storage, no sticking when removed

Recessed areas accept high intensity white collars  
 - 3M™ collars have excellent wide angle retroreflectivity

New automated screen printing technology  
 - names and logos applied with precision and consistency, producing crisp and durable graphics

MASH Accepted, Meets MUTCD Standards



Cone Weight Available  
7 lbs.


New Automated Screen Printing!



## TELESCOPING CONE BARS



Two sizes  
 Expands from 4' to 7'  
 - available in reflective orange on white and reflective yellow on black  
 Expands 5.5' to 10', 5 lbs. in reflective orange on white  
 Quick installation to provide high visibility barrier  
 Portable, versatile, & lightweight, 7' - 2 lbs., 10' - 5 lbs.



Twist to lock desired length



## CONE BAR SIGNS



Sign mounts directly to the cone bar  
 - secured with hook and loop fasteners  
 Sign is weighted to remain vertical, even in windy conditions  
 Rolls up neatly and is secured with hook and loop strap for storage  
 - legend printed on edge for ID when rolled  
 Wear resistant ink, crisp lines, no smudging  
 Choose non reflective vinyl or reflective vinyl, white or orange  
 Standard and custom legends available  
 Sign sizes, custom sizes available  
 28"H cones, 18" x 18", 24"W x 18"  
 36"H cones, 24"W x 18", 18"W x 24", 24"W x 24"

## WATCHTOWER™ STACKER CONE

42" tall

Strong, ergonomic handle  
 - speeds placement on job  
 - fits two hands to make lifting with base easier  
 - string caution tape through handles

Recessed area protects sheeting

Use with 10, 16, or 30 lb. recycled rubber base

Accepts same bases as our Navicade™ delineator  
 - reduces your base inventory

Customize with your company name or logo

Available in orange and yellow

Dimensions: 47.5"H x 11"W, 2.25 lbs.

MASH Accepted, Meets MUTCD Standards

Made in the U.S.A.



Ergonomic handle makes placement of cones easy, even with heavy base



String caution tape through handles



# WATCHDOG™ SIGNS & STANDS



## Compact Sign Stands



SSRB800 SS300 SS300A SS310 SS310A SS315 SS340A

## High Mount Sign Stands



SS410A SS400 SS420A SS440 SS620A SS621A

## Tripods & Barrier Mount Sign Stands



SS100 SS105 \*BC-12 & BC-15

## Sign Stand Index & Quick Guide

\* BC-12 & BC-15 not MASH Tested

Model #	SSRB800	SS300	SS300A	SS310	SS310A	SS315	SS340A	SS400	SS410A	SS420A	SS440	SS620A	SS621A	SS100	SS105	BC-12 & BC-15
Roll-Up Sign	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	No	No	No	Yes
Rigid Sign	No	No	No	No	No	No	No	No	No	Yes .080 Alum.	Yes .080 Alum.	Yes 10 mm Cor.	Yes .080 Alum.	Yes 5/8" ply	Yes 5/8" ply	Yes
Sign Height from Ground to Bottom of Sign	13"	13"	13"	13"	13"	13"	16"	60"	60"	18"	Rigid 18" Roll-Up 60"	Rigid 60" & 84" Roll-Up 84"	84"	14"	14"	N/A
Main Material	Rubber	Powder Coated Steel	Alum.	Powder Coated Steel	Alum.	Powder Coated Steel	Alum.	Powder Coated Steel	Alum.	Alum.	Powder Coated Steel	Alum.	Alum.	Galv. Steel	Powder Coated Steel	Powder Coated Steel Clamp
More Info.	Page 18	Page 16	Page 16	Page 16	Page 16	Page 17	Page 17	Page 19	Page 19	Page 20	Page 20	Page 21	Page 21	Page 18	Page 18	Page 22

# WATCHDOG™ SIGNS & STANDS

## COMPACT SPRINGLESS SIGN STANDS

Holds roll-up signs 36" & 48"  
- universal compact sign clamp, zinc plated steel, grabs and tightens on roll-up rib


Legs are extendable

Non-skid rubber feet

Replacement parts and assemblies available

MASH Accepted for 48" roll-up signs, WZ-351

Meets MUTCD Standards



No Spring

Model #	Leg Material	Sign Mounting Height	Carton Size	Size Open Legs Collapsed Footprint	Size Open Legs Fully Extended Footprint	Weight	Sign Bracket
SS300	Orange Powder Coated Steel	13" from Ground	7" x 7.5" x 25"	28" x 44"	40" x 65"	21 lbs.	Universal Roll-Up Sign Clamp Included Part # SA-URSHV4
SS300A	Aluminum	Top of 48" sign - 82"H max.					

## COMPACT SINGLE SPRING SIGN STANDS

Holds roll-up signs 36" & 48"  
- universal compact sign clamp, zinc plated steel, grabs and tightens on roll-up rib

Heavy duty steel spring

Legs are extendable

Non-skid rubber feet

Replacement parts and assemblies available

MASH Accepted  
- SS310 for 48" roll-up signs, WZ-352  
- SS310A for 48" roll-up signs, WZ-429

Meets MUTCD Standards



Heavy Duty Single Spring

Model #	Leg Material	Sign Mounting Height	Carton Size	Size Open Legs Collapsed Footprint	Size Open Legs Fully Extended Footprint	Weight	Sign Bracket
SS310	Orange Powder Coated Steel	13" from Ground	7" x 7.5" x 25"	28" x 44"	40" x 65"	23 lbs.	Universal Roll-Up Sign Clamp Included Part # SA-URSHV4
SS310A	Aluminum	Top of 48" sign - 82"H max.					

# WATCHDOG™ SIGNS & STANDS

## LONG LEG COMPACT SINGLE SPRING SIGN STAND FOR ROLL-UP SIGNS

Holds roll-up signs 36" & 48"

Longer legs increase stability  
- legs are extendable to 87"  
- lock in multiple positions to adjust to uneven ground

Paddle release levers for quick and easy setup

New Universal Sign Clamp  
- stable clamp design for faster sign installation  
- Acme screw handle locks sign in place twice as fast

Automotive grade steel spring  
- designed to perform in extreme weather conditions without fatiguing or breaking  
- E-coated for maximum rust and corrosion resistance


Non-skid rubber feet

Replacement parts and assemblies available


Crash tested for MASH Acceptance, submitted to FHWA  
- 48" roll-up sign at 13" from ground

Meets MUTCD Standards


Heavy Duty Single Spring



Model SS315



Paddle Release Levers



Clamp stays securely open for sign insertion - locks sign in place twice as fast

Model #	Material	Sign Mounting Height	Carton Size	Size Open Legs Collapsed Footprint	Size Open Legs Fully Extended Footprint	Weight	Sign Bracket
SS315	Orange Powder Coated Steel	13" from Ground Top of 48" sign - 81"H max.	7.25" x 8.5" x 32.5"	38" x 55"	54" x 87"	27 lbs.	Universal Roll-Up Sign Clamp Included Part # SA-URSHV5

## COMPACT DOUBLE SPRING SIGN STAND

Holds roll-up signs 36" & 48"  
- universal compact sign clamp, zinc plated steel, grabs and tightens on roll-up rib

Heavy duty, steel double spring

Legs are extendable

Non-skid rubber feet

Replacement parts and assemblies available

MASH Accepted for 48" roll-up signs, WZ-353

Meets MUTCD Standards



Heavy Duty Double Spring



Model SS340A



Model #	Material	Sign Mounting Height	Carton Size	Size Open Legs Collapsed Footprint	Size Open Legs Fully Extended Footprint	Weight	Sign Bracket
SS340A	Aluminum	16" from Ground Top of 48" sign - 82"H max.	7.25" x 8.5" x 32.5"	38" x 55"	54" x 87"	27 lbs.	Universal Roll-Up Sign Clamp Included Part # SA-URSHV4

# WATCHDOG™ SIGNS & STANDS

## INTREPID™ RUBBER BASE SIGN STAND FOR ROLL-UP SIGNS

Holds roll-up signs 36" & 48"  
- universal compact sign clamp, zinc plated steel, grabs and tightens on roll-up rib

Designed for quick, easy sign relocation  
- clamp portion of post can be separated with sign attached  
- two carry handles


Low profile and compact  
- great for narrow spaces, such as, bridge decks and sidewalks

Heavy base stays in place  
- no need for additional ballast

Post folds flat and locks for easy transport, storage, & stacking  
- foot release lever to initiate fold down  
- multiple stacking lugs on rubber base

MASH Accepted for 48" roll-up signs, WZ-342

Meets MUTCD Standards



Sign clamp can be removed with sign attached for quick sign relocation



Model SSRB800



Model #	Material	Sign Mounting Height	Size Folded	Size Deployed	Weight	Sign Bracket
SSRB800	Rubber Base Steel Base Plate Aluminum Post	13" from Ground Top of 48" sign - 81"H max.	19"W x 31"D x 7"H	19"W x 26"D x 21.5"H	44 lbs.	Universal Roll-Up Sign Clamp Included Part # SA-USH

## TRIPOD SIGN STANDS

Heavy duty stand for rigid signs, 36" & 48"  
- also holds roll-up signs (with a roll-up bracket)

Extendable mast

Fixed length legs

Added safety feature eliminates pinch points

Built-in three flag holder & sandbag hook

MASH Accepted for 48" - 5/8" plywood signs, WZ-350

Meets MUTCD Standards

### Sign Brackets For Roll-Up Signs (sold separately)



Universal Bracket for Roll-Up Signs  
Zinc Plated  
Part # SH-RSMC-SM

Model SS100



Model SS105



Fast Bracket for Roll-Up Signs  
Zinc Plated  
Part # SH-RMQR-SM

Model #	Material	Sign Mounting Height	Carton Size	Size Open Legs Collapsed Footprint	Size Open Legs Fully Extended Footprint	Weight	Brackets
SS100	Galvanized Steel	14" from Ground	4" x 7.5" x 51.5"	Legs don't collapse	30" x 49"	16 lbs.	Built in Rigid Sign Bracket
SS105	Orange Powder Coated Steel	Top of 48" sign - 81"H max.					

# WATCHDOG™ SIGNS & STANDS

## MEDIUM HEIGHT STEEL SPRINGLESS SIGN STAND FOR ROLL-UP SIGNS

### Lightweight, Durable, & Economical Steel Sign Stand

Holds roll-up signs 36" & 48"  
- accommodates 36" and 48" rigid signs

Orange powder coated steel legs and mast, 26 lbs.

Telescoping mast

Fixed length legs, non-skid rubber feet


Built-in three flag holder

Small footprint enables more stands per truck

Replacement parts and assemblies available

MASH Accepted, 48" roll-up sign at 60", WZ-459

Meets MUTCD Standards



Model SS400



No Spring



Universal Bracket for Roll-Up Signs  
Zinc Plated  
Part # SH-RSMC-SM



Fast Bracket for Roll-Up Signs  
Zinc Plated  
Part # SH-RMQR-SM



Rigid Sign Bracket  
Zinc Plated  
Part # SH-HSHL-SM  
Patent Pending

Model #	Mast & Leg Material	Sign Mounting Height	Size Open Extended Footprint	Weight	Available Sign Brackets Purchase Separately		
SS400	Powder Coated Steel	60" from Ground Max. Height of Sign - 128"	40" x 84.5"	26 lbs.	Universal Roll-Up Sign Bracket #SH-RSMC-SM	Fast Bracket for Roll-Up Signs #SH-RMQR-SM	Rigid Sign Bracket #SH-HSHL-SM

## MEDIUM HEIGHT ALUMINUM SPRINGLESS SIGN STAND FOR ROLL-UP SIGNS

Holds roll-up signs 36" & 48"

Telescoping mast

Fixed length legs, non-skid rubber feet

Built-in three flag holder

Replacement parts and assemblies available

MASH Accepted for 48" roll-up signs, WZ-354


Meets MUTCD Standards



Universal Bracket for Roll-Up Signs



Zinc Plated



No Spring

Model SS410A




Model #	Mast & Leg Material	Sign Mounting Height	Carton Size	Size Open Legs Collapsed Footprint	Size Open Legs Fully Extended Footprint	Weight	Sign Bracket
SS410A	Aluminum	60" from Ground Max. Height of Sign - 128"	7" x 7.5" x 58.5"	Legs don't collapse	47" x 74"	19 lbs.	Universal Roll-Up Sign Bracket Included #SH-RSMC

# WATCHDOG™ SIGNS & STANDS

## HEAVY DUTY ALUMINUM DOUBLE SPRING SIGN STAND FOR RIGID SIGNS

- Holds rigid signs 36" & 48"
- Telescoping mast
- Heavy duty, double steel springs
- Fixed length legs, lock in multiple positions, non-skid rubber feet
- Built-in three flag holder
- Replacement parts and assemblies available
- MASH Accepted for 48"-.080 aluminum signs, WZ-355
- Meets MUTCD Standards




**Bracket for Rigid Sign**  
(U.S. Patent 10,546,515)  
Zinc Plated  
Brackets for top and bottom of the sign have different clamp sizes to fit around telescoping mast

Model #	Mast & Leg Material	Sign Mounting Height	Carton Size	Size Open Legs Collapsed Footprint	Size Open Legs Fully Extended Footprint	Weight	Sign Brackets
SS420A	Aluminum	18" from Ground Top of 48" sign - 86"H max.	8.5" x 11.5" x 58.5"	Legs don't collapse	38" x 81"	36 lbs.	Rigid Brackets Included Bottom: #SH-HSHL Top: #SH-HSHL-08

## HEAVY DUTY STEEL DOUBLE SPRING SIGN STAND

- Holds rigid and roll-up signs 36" & 48"
- Orange powder coated steel legs and mast, 39 lbs.
- Automotive grade steel, double spring  
- designed to perform in extreme weather conditions  
- E-coated for maximum rust and corrosion resistance
- Telescoping mast with fixed length legs  
- lock in multiple positions to adjust to uneven ground
- Non-skid rubber feet
- Built-in three flag holder
- Small footprint enables more stands per truck
- Replacement parts and assemblies available
- MASH Accepted  
- WZ-460, 48" roll-up sign at 60"  
- WZ-468, 48" .080 aluminum sign at 18"
- Meets MUTCD Standards



**Universal Bracket for Roll-Up Signs**  
Zinc Plated  
Part # SH-RSMC-SM

**Fast Bracket for Roll-Up Signs**  
Zinc Plated  
Part # SH-RMQR-SM


**Rigid Sign Bracket**  
Zinc Plated  
Part # SH-HSHL-SM  
Patent Pending

Model #	Mast & Leg Material	Sign Mounting Height	Size Open Legs Fully Extended Footprint	Weight	Available Sign Brackets Purchase Separately		
SS440	Powder Coated Steel	Roll-Up Sign: 60" from Ground Max. Height of Sign - 128" .080 Aluminum Sign: 18" from Ground Max. Height of Sign - 86"	40" x 84.5"	39 lbs.	Universal Roll-Up Sign Bracket #SH-RSMC-SM	Fast Bracket for Roll-Up Signs #SH-RMQR-SM	Rigid Sign Bracket #SH-HSHL-SM

# WATCHDOG™ SIGNS & STANDS

## TALL DOUBLE SPRING SIGN STAND FOR CORRUGATED PLASTIC & ROLL-UP SIGNS


- Holds rigid and roll-up signs 36" & 48"
- Telescoping mast
- Heavy duty, steel double spring
- Non-skid rubber feet
- Built-in heavy duty three flag holder  
- clamping type, holds flags in place
- Replacement parts and assemblies available
- MASH Accepted for 48" 10 mm corrugated plastic signs  
- mount rigid signs at 60" from ground, WZ-424  
or 84" from the ground, WZ-425
- MASH Accepted for 48" roll-up signs  
- mount roll-up signs 84" from the ground, WZ-426
- Meets MUTCD Standards



Model #	Mast & Leg Material	Sign Mounting Height	Carton Size	Legs Collapsed Footprint	Size Open Legs Fully Extended Footprint	Weight	Sign Brackets
SS620A	Aluminum	10 mm Corrugated Sign 60" from Ground Max. Height of Sign - 128"	9" x 12" x 72"	Legs don't collapse	56.44" x 130.6"	56 lbs.	No Brackets
SS620A-RG		10 mm Corrugated Sign 84" from Ground Max. Height of Sign - 152"				59.3 lbs.	Includes Rigid Brackets SH-HSL-95 (top) SH-HSHL-96 (bottom)
SS620A-RL		48" Roll-Up Sign 84" from Ground Max. Height of Sign - 152"				57 lbs.	Includes Roll-Up Sign Universal Bracket SH-RSMC
SS620A-FB						57 lbs.	Includes Fast Bracket for Roll-Up Signs SH-RMQR

## TALL DOUBLE SPRING SIGN STAND FOR ALUMINUM SIGNS

- Holds rigid signs 36" & 48"
- Wind Sleeves™ increase stand stability with aluminum signs  
- patent pending
- Telescoping mast
- Heavy duty, steel double spring
- Non-skid rubber feet
- Built-in heavy duty three flag holder  
- clamping type, holds flags in place
- Replacement parts and assemblies available
- MASH Accepted for 48"-.080 aluminum signs, WZ-427  
- mount rigid signs at 84" from the ground
- Meets MUTCD Standards



Model #	Mast & Leg Material	Sign Mounting Height	Carton Size	Size Open Legs Collapsed Footprint	Size Open Legs Fully Extended Footprint	Weight	Sign Brackets
SS621A	Aluminum	.080 Aluminum Sign 84" from Ground Max. Height of Sign - 152"	9" x 12" x 72"	Legs don't collapse	56.44" x 130.6"	56 lbs.	Includes Rigid Brackets SH-HSL-95 (top) SH-HSHL-96 (bottom)

# WATCHDOG™ SIGNS & STANDS

## BARRIER MOUNT SIGN SUPPORT FOR ROLL-UP & RIGID SIGNS

Use on highways with limited median & shoulder space

Holds roll-up and rigid signs 48" or smaller


- Two clamp sizes, 12" & 15"
- 12" fits 5.5" to 11.5" wide concrete barriers
- 15" fits 8.5" to 15" wide concrete barriers
- orange powder coated steel

T-bolts (4 ea.) secure the sign support to the barrier and wear resistance

- Double spring telescoping mast
- can be offset on clamp for narrow shoulders
- springs made of automotive grade steel
- designed to perform in extreme weather conditions without fatiguing or breaking
- e-coated for maximum rust and corrosion resistance

- Built-in heavy duty three flag holder
- clamping type, holds flags in place

Replacement parts and assemblies available



Model BC-12



Model BC-15

Easy to assemble the mast to clamp with provided hardware.



Model #	Material	Size	Carton Size Clamp and Bracket(s)	Carton Size Mast	Weight	Sign Brackets
BC-12-1PK	Steel Clamp & T-bolts Only	Fits 5.5" to 11.5" wide concrete Jersey barriers	7.25" x 13.5" x 23.5"	none	18.3 lbs.	None
BC-12-RG-KIT	Steel Clamp, T-bolts, & Aluminum Mast	Fits 5.5" to 11.5" wide concrete Jersey barriers	7.25" x 13.5" x 23.5"	4" x 8.25" x 63"	40.3 lbs.	Includes Rigid Brackets SH-HSL-95 (2 ea.)
BC-12-FB-KIT					37.8 lbs.	Includes Fast Bracket for Roll-Up Signs SH-RMQR
BC-15-1PK	Steel Clamp & T-bolts Only	Fits 8.5" to 15" wide concrete Jersey barriers	7.25" x 13.5" x 23.5"	none	20.8 lbs.	None
BC-15-RG-KIT	Steel Clamp, T-bolts, & Aluminum Mast	Fits 8.5" to 15" wide concrete Jersey barriers	7.25" x 13.5" x 23.5"	4" x 8.25" x 63"	42.9 lbs.	Includes Rigid Brackets SH-HSL-95 (2 ea.)
BC-15-FB-KIT					40.4 lbs.	Includes Fast Bracket for Roll-Up Signs SH-RMQR

# WATCHDOG™ SIGNS & STANDS

## SNAP N PACK™ ROLL-UP SIGN

Sign folds up easily and snaps open!  
Deploy in seconds on a compact sign stand.

- Wear Resistant Ink!
- ink won't transfer to sign where it doesn't belong

Roll-up Signs 36" & 48"

- Reflective in orange, yellow, and pink
- Non Reflective, orange


Fiberglass Cross Braces  
- 3/8" Vertical Brace with 3/16" horizontal brace

Durable Polycarbonate Corner Pockets

Standard and Custom Legends Available



Fold Up Sign Stand With Sign Attached  
Great For Fast Deployment



Snap Secures Sign In Open Position Push Snap Down To Release & Fold



Optional Folding Flag Attachment  
Riveted to vertical brace  
Folds up with the sign for storage



Use the Snap N Pack™ Roll-Up sign with our MASH Accepted Watchdog Compact Sign Stands

Fits any stand with a universal roll-up sign bracket

- Recommended Sign Stands
- SS310A for 36" x 36" Signs
- SS340A for 48" x 48" Signs

## SNAP IN POST - ROLL-UP SIGN

Post is attached to roll-up sign and quickly snaps into center receptacle on a compact sign

Snap In Post comes connected to roll-up sign vertical brace  
- 1" square post (tube)


Choose aluminum or orange powder coated steel post

Available for 36" and 48" roll-up signs


- Post snaps into the center tube on compact sign stands
- purchase compact stand without the universal bracket installed or remove universal bracket prior to insertion
- black cap on the stand's center tube must also be removed

Spring loaded button securely locks the tube in place


Use with our Watchdog Compact Sign Stands



Roll-Up Sign  
Post Bolted To Sign Brace  
Spring Loaded Button  
Snap In Post



Snaps Into Sign Stand



Snap In Post  
Sign Stand Center Tube  
Spring Loaded Button

# WATCHDOG™ SIGNS & STANDS

## FOLDING FLAG ATTACHMENT

Designed to permanently mount to roll-up sign

18" x 18" bright orange vinyl flags


Riveted to roll-up cross brace through metal flag bracket

ABS flag clips hold flags in open position

Folds compactly for storage

Fiberglass flag staffs, 14.4"L x 0.9"W x 0.11" thick

Part #FF18



Metal Flag Bracket is riveted to roll-up cross brace

## STANDARD SIGN HOLDERS


Universal, Zinc plated brackets



Brackets for Roll-Up Signs



Brackets for Rigid Signs



Zinc Plated Clamp

(patent pending)

Compact Stands Universal Sign Clamp for Roll-Up Signs


## QUICK GRIP™ CLAMP

Comes Attached to Roll-Up Cross Brace For Fast Sign Deployment

3 rivets used to attach to horizontal cross brace

Fits sign stand masts 3/4", 1", and 1 1/4" square tube

Zinc plated



Part #3SQ-RSC

Grabs Onto Sign Stand Mast



Use With:

SS100, SS105,  
SS400, SS410A,  
SS420A, SS440

## BITELOCK™ CLAMP

Comes Attached to Roll-Up Cross Brace For Fast Sign Deployment

3 rivets used to attach to horizontal cross brace

Fits U-Channel and other non-square sign stand masts

Zinc plated



Part #RUS-BITELOCK

Grabs Onto Sign Stand Mast



Use With:

SS100, SS105,  
SS400, SS410A,  
SS420A, SS440

## FAST BRACKET™

Quickly and securely attach roll-up signs to your sign stand

Slide bracket onto mast and tighten using crank to keep in place

Easy snap on design, pull back on handle to release

Part #SH-RMQR-SM fits sign stand masts 3/4" to 1" (square tube)

Part #SH-RMQR fits sign stand masts 1" to 1 1/2" (square tube)

Zinc plated

Use SH-RMQR-SM With:

SS100, SS105, SS400, SS440

Use SH-RMQR With:


SS410A, SS420A, SS620A, SS621A

BC-12-FB-KIT, BC-15-FB-KIT



Part #SH-RMQR-SM

Part #SH-RMQR



Mast

Release Handle

Cross Brace

# WATCHDOG™ ROLL-UP SIGNS

## HIGH QUALITY ROLL-UP SIGNS

### Produced with State of the Art Printing

Wear Resistant Ink!

Ink won't transfer to sign where it doesn't belong

Breakthrough Digital Print & Film Technology

- Reflective color performance exceeds ASTM D 4956 Type VI requirement

Fiberglass Cross Braces

- 1/4" Vertical Brace with 3/16" horizontal brace

- 3/16" Vertical Brace with 3/16" horizontal brace

- 5/16" Vertical Brace with 3/16" horizontal brace

Anti-kiting Strap

Sturdy hook & loop strap comes attached to sign


Eliminates sail effect

- backwind won't blow and move sign


Corner Pocket Options

- Durable polycarbonate plastic

- Sewn reinforced vinyl



Breakthrough Digital Print & Film Technology exceeds ASTM D 4956 Type VI



Hook & Loop Anti-kiting Strap

Cross Braces



### Legend Identification

Legend name printed on sign border on two edges

- whichever way you roll it, it's easy to identify the sign legend



### Storage Strap

Hook & Loop strap, secures the sign for storage

## ROLL-UP SHEETING OPTIONS

MUTCD Non Reflective Vinyl

Fluorescent Orange

- daytime use only, Meets ASTM D 4956 color

Reflective Vinyl

- 3M™ High Intensity Prismatic Grade, Vivid Orange Series RS30, Meets ASTM D 4956 Type VI, CWZ

High Performance

- Avery Dennison® WU-7000

Fluorescent Orange, Pink, and White, Meets ASTM D 4956 Type VI, Class 5



# PARKING LOT RUBBER PRODUCTS

- Resistant to weather, oil, salt, moisture, UV light, and temperature
- Will not warp, chip, or crack
- Never needs painting, durable striping
- molded-in reflective marking tape
- Flexible, conforms to surface contours
- Easy one person installation
- install on asphalt or concrete (hardware sold separately)
- Removable for road surface maintenance or snow plowing



## SPEED BUMPS



End Caps are optional



Comes with 8 Cat Eye Reflectors

### Standard Speed Bump


- 2.5" High, 6' or 4' sections, made from recycled rubber
- Reflective yellow tape is embedded in the rubber, increases visibility
- Good for parking lots & slow roadways
- reduces speeds 2-5 mph
- Cut with a utility knife if necessary
- Optional cat eye reflectors
- Dual bottom channels for drainage, protects wire, hose, or pipe
- End caps and hardware sold separately
- Made in the U.S.A.
- Dimensions 6': 72"L x 12"W x 2.5"H, 52 lbs. - 4': 35 lbs.
- End Cap: 7"L x 12"W, 3.5 lbs.



### Premium Textured Speed Bump


- 2" High, 6' sections
- Use in heavy traffic areas on low speed roadways
- Reduces speeds 1-5 mph
- Textured, vulcanized rubber performs well in extreme temperatures
- Cat eye reflectors increase visibility at night
- 5 synthetic rubber yellow stripes, won't degrade
- Dual bottom channels for drainage
- protects wire, hose, or pipe
- End caps and hardware sold separately
- Dimensions: 72"L x 12"W x 2"H, 52 lbs.
- End Caps: 6"L x 12"W x 2"H, 3.5 lbs.

## SPEED HUMPS



### Standard Speed Humps

- Available in 24" sections, with 17.5" end caps
- attach sections together to create custom length
- For traffic speeds 15 mph or less
- Gentler than speed bumps
- good for heavy truck traffic areas
- Reflective stripes in yellow
- Dual bottom channels for drainage
- protects wire, hose, or pipe to 3/4" dia.
- Made in the U.S.A. using recycled rubber
- End caps sold separately
- Dimensions: 24"L x 36"W x 2.4"H sections
- connected length 23.5", 52 lbs.
- End Caps 17.5"L x 36"W x 2.4"H, 23 lbs.



### Premium Textured Speed Humps

- Available in 20" sections with 10" end caps
- attach sections together to create custom length
- Use in heavy traffic areas
- Textured surface helps with traction
- Made of durable vulcanized rubber
- withstands extreme temperatures without cracking
- Yellow stripes are UV stabilized synthetic rubber
- non-wearing color
- End caps sold separately
- Dimensions: 20"L x 35"W x 2"H sections,
- connected length 19", 38 lbs.
- End Caps 10"L x 35"W x 2"H, 14 lbs.

# PARKING LOT RUBBER PRODUCTS

## PARKING STOPS



- Use in parking lots and garages
- protects garage walls, delineates spaces
- Available in 6 foot or 4 foot lengths
- Maintenance Free
- High visibility at night
- reflective stripes in yellow or white
- Made in the USA using recycled rubber




- Dimensions (nominal)
- 72"L x 6"W x 4.5"H, 35.5 lbs.
- 48"L x 6"W x 4.5"H, 30 lbs.



## CROSSCADE™ PEDESTRIAN CROSSING SIGNS

- Impact resistant plastic panel and recycled rubber base
- Press fit base, push panel down into base, using foot ledge for a tight fit
- White 12"W vertical panel comes in two heights, 24" H or 36"H
- 28 lb. and 43 lb. recycled rubber bases
- Hole for attaching a barricade light (D Cell & 6 Volt)
- ledge holds light upright
- Molded in handles, both panel and base
- ergonomic, easy to use with gloves on
- Stacking lugs on panels
- keeps stacked panels from sliding
- Signs are applied directly to panel face
- no bolts needed
- Meets MUTCD Standards for pedestrian barricades
- Crosscade 24: 38.42"H x 14.3"W x 2"D, 5.5 lbs.
- Crosscade 36: 50.42"H x 14.3"W x 2"D, 8 lbs.
- Made in the U.S.A.





Foot Ledge

Crosscade™ 36 12" x 36" Panel  
Crosscade™ 24 12" x 24" Panel

Signs are Diamond Grade fluorescent yellow/green. High Intensity Prismatic white and red.

## GEMSTONE™ VALET & PARKING LOT SIGNS

- Reflective signs, 36" H x 8" W, applied to black Gemstone™ Vertical Panel
- double sided
- engineer grade reflective signs
- recessed sign surface, reduces damage to signs
- Oversized handle with comfort grip
- easily pick up sign with base attached
- Designed to withstand repeated impacts from vehicles
- Gemstone™ sidewall provides strength & durability
- Recycled rubber base slides down over sign panel
- two sizes, 9 lbs. and 20 lbs.
- Stackable with or without rubber base
- Space saving design
- Dimensions: 44.5" H x 14.75" W without base
- Made in the U.S.A.



9 lb. base 14.5" x 17.5"

20 lb. base 20" x 20"

# WHEEL CHOCKS

Made of 100% post-consumer recycled rubber


Will not compress, warp, chip, or crack

UV, oil, and weather resistant


Can be customized

- your name or logo embossed in the chock
- paint for greater visibility and easy identification

Made in the U.S.A.



Your Name or Logo Embossed  
200 minimum order quantity



Width Fits Against Tire

## AUTOMOTIVE & INDUSTRIAL CHOCKS



Part W80-E  
5.25"W x 6.75"D x 4.5"H  
Eyebolt, Void bottom  
3.5 lbs.  
Autos, Trailers, RVs,  
Pickups up to 16" Wheels




Part W97-E  
5"W x 9"D x 6"H  
Eyebolt, Solid bottom  
6.5 lbs.  
Buses, Paper  
Rolls



Part W78V-E  
10"W x 8"D x 6"H  
Eyebolt, Void Bottom  
8 lbs.  
Dump & Tow Trucks  
Off Road Vehicles,  
Utility Trucks, Semi Trucks



Part W78V-YRC36  
10"W x 8"D x 6"H  
36" rope, Void bottom  
16 lbs. for pair  
Dump & Tow Trucks  
Off Road Vehicles,  
Utility Trucks, Semi Trucks



Part W85S-E  
9.75"W x 7.75"D x 5"H  
Eyebolt, Solid Bottom  
10 lbs.  
Utility Vehicles, RVs,  
Pickups up to 16.5" Wheels



Part W85S-M  
9.75"W x 7.75"D x 5"H  
Metal Hairpin, Solid Bottom  
10 lbs.  
Utility Vehicles, RVs,  
Pickups up to 16.5" Wheels



Part W85S-N  
9.75"W x 7.75"D x 5"H  
Metal Pole Step, Solid Bottom  
10 lbs.  
Utility Vehicles, RVs,  
Pickups up to 16.5" Wheels



Part W75-E  
8.5"W x 8.75"D x 7"H  
Eyebolt, Solid Bottom  
15 lbs.  
Heavy Equipment,  
Line Trucks



Part W75-N  
8.5"W x 8.75"D x 7"H  
Metal Pole Step, Solid Bottom  
15 lbs.  
Heavy Equipment,  
Line Trucks

## AIRCRAFT CHOCKS



Yellow Rope Connect



Yellow Rope Handles



Vinyl Tubing Over  
Yellow Rope Handles

24"W x 7"D x 6"H  
24 lbs. ea. - 48 lbs./pair  
Sold in pairs only  
For Wide Body Aircraft

### Visibility Options



Cat Eye Reflectors

Reflective glass beads help with nighttime visibility.  
Deep set in recessed area. 4 on each side standard.

On both sides of each chock



Painted Recess



Painted Chock

Standard Colors:  
Orange, Red, Blue, Yellow, White, & Green

### Custom Embossing

Add your logo, name, website, and/or phone number to both sides of each chock  
Standard nameplate size for embossing is 14"W x 3"H



Name Embossed  
in Rubber



Name Embossed with  
Painted Recess



Name Embossed on  
Painted Chock

Minimum order  
quantity of 200  
required for options

# FLAGGER STATION & WORK AREA LIGHTING

8 foot light elevation

Collapsible aluminum extension mast  
- cam lock adjustments with retractable cable

Battery rated for 500+ charge cycles  
- push to test voltage meter

DC Power Port  
- operate unit with external 12 VDC power  
- run other DC powered electrical devices

Charge with clamp style jumper cables  
- can jump start vehicle

Lamp heads are independently, directionally adjustable

Yellow LED flasher on unit for added safety

Legs stable on uneven ground, retract for storage

Weatherproof case


Lifetime warranty on light heads

One year replacement warranty on battery and charger

Storage Dimensions: 26"H x 17.5"W x 8"D, 44 lbs.



Sets Up  
In Seconds



**Dual LED Light Head**  
4000 Total Lumens (2,000 each light head)  
24 Watts, 2 amps, for the two heads  
Full Charge Run Time:  
• 14+ hrs. with both light heads on  
• 25+ hrs. with one light head on

**WARNING**  
This product contains a sealed lead acid battery which can expose you to chemicals including Lead and Sulfuric Acid, which are known to the State of California to cause cancer and birth defects or other reproductive harm.  
For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### Internal Battery Specifications

12 VDC sealed 35 amp hour AGM lead acid battery  
Built in 110-240 VAC, 50/60 Hz  
UL approved 3 amp charge system  
Safely stored/operated at -40°F to 140°F  
Recommend continuous charging when light is not in use  
- if fully depleted, may require 24 hours to fully recharge

### Light Head Specifications

IP-68 rated dust proof and waterproof  
60° beam pattern  
Anodized aluminum frame with a polycarbonate lens



115 VAC power and  
DC to DC power cords  
included



Charge DC Powered Electrical Devices  
(DC computer adapter not included)

## ELITE™ PVC FLAGGER POLE

**Pole Segments Slide Together And Are Secured With Spring Loaded Button**

Orange PVC, 1.6" dia. hollow tube, 0.15" thick wall

Two lengths, 72"L and 84"L  
- choose a two or three piece pole



Top segment has 12"L handle and holds the sign

Spring loaded button  
- makes it easy to change from handle to pole to storage


Rounded plastic tip at pole bottom, allows for easy pole turns

Comes with hardware to attach sign, signs sold separately

Meets MUTCD Standards



Spring Loaded Button connects the segments



Assembled Pole 72"L or 84"L

## SAFEKERB SUPAGRIP RAMP



Ramp adapts to curb heights from 2.5" to 6"

Withstands loads up to 772 lbs.

Flexible black edge reduces unwanted movement

High visibility, anti-slip, textured surface

Raised sides prevent vehicle run off

Molded plastic won't rust

Stacks compactly for transport and storage

Bolt to road and walkway surface for added stability

Available in yellow

Dimensions: 50.2"L x 29.9"W, 22 lbs.

## SAFEGATE MANHOLE GUARD

**Ideal for Utility Work**



Optional retroreflective sheeting increases visibility

**Non-conductive**

Non-conductive (dielectric), no metal used

Great for protecting any area requiring temporary restriction of access

Hinged clips make it easy to configure sections into rectangles of various sizes

Locking clamp connects straight sections

Folds up easily for storage and sets up quickly

Carry handles for transport

Longer life than metal, replacement sections available

Available in yellow

Dimensions for single section: 39.4"H x 29.5"W, 4.4 lbs.

## TRENCH COVERS

**Strong, Secure, & Safe Solution**



Steel Plates with Cold Patch



Plasticade Trench Covers

- Exceptionally rigid, yet lighter than steel
- Easier & safer to lift into place than steel
- More stable & durable than plywood
- Less street noise
- High visibility yellow
- Anti-slip surface
- Graduated edge prevents tripping
- No scrap value for metal thieves
- No cold patch needed
- Rot & corrosion resistant

## TRENCH COVERS - 35" & 27"

Two sizes  
- designed to cover trenches up to 35" and 27"

Takes the weight of a vehicle up to 4,410 lbs

Anti-slip surface

Deters metal thieves

Beveled edge prevents tripping

Molded from a single piece of fiberglass composite  
- underside has ribbed framework for added strength

Secure with 4 bolts

Available in yellow

35" Trench Cover Dimensions: 63"L x 47.2"W x 1.18"H, 73 lbs.

27" Trench Cover Dimensions: 47.2"L x 31.5"W x 0.93"H, 26.5 lbs.



High Visibility, Anti-slip Surface

## PEDESTRIAN TRENCH COVER

**Ideal for Sidewalk Construction**

For Pedestrians Only - takes up to 553 lbs.

Covers trenches up to 27.5"

Anti-slip surface

Smooth rubber edge greatly reduces tripping hazard

Resists sliding, no need to bolt down  
- flexible material which grips the surface underneath


Available in yellow

Dimensions: 44.3"L x 44.3"W x 0.7"H, 62 lbs.



# PORTABLE POST SIGN STANDS

## ROLL-A-POST™



Roll-A-Post™ 18 Roll-A-Post™ 24

Durable, thick walled plastic bases in two sizes  
- no rust, dents, or cracking

Wheels for easy relocation  
- sturdy plastic wheels come pre-installed


Square plastic post eliminates sign twisting  
- available in white and black  
- no special bracket needed  
- cap for top of post included

Withstands strong winds without tipping over when filled with sand

Large fill holes, fill with water, sand, or base gel

Post cap and hardware for attaching a sign included

Made in the U.S.A.



10X more contact between sign & post than with round post

Sign Sits Flat Against Square Post

Strong Plastic Post with Reinforcing Center Crossbars

## ROCK-IT™



Rock-It™ 18 Rock-It™ 24

Durable, thick walled plastic bases in two sizes, 18" W and 24" W  
- won't chip, crack, or crumble like concrete

Square plastic post eliminates sign twisting  
- available in white and black  
- no special bracket needed  
- cap for top of post included

Rock it back and roll  
- recessed wheels make stands easy to move when weighted  
- sturdy plastic wheels come pre-installed

Withstands strong winds without tipping over when filled with sand

Conveniently placed large fill hole and drain hole  
- fill with dry sand

Post cap and hardware for attaching a sign included

Made in the U.S.A.

## RUBBER BASE SIGN STAND



30 lbs.

60 lbs.

Durable recycled rubber bases  
- three sizes: 30 lbs., 60 lbs., Stack for 90 lb. base  
- resistant to weather, oil, salt, moisture, & UV light  
- will not warp, chip, or crack

Withstands strong winds without tipping over

Molded-in Hand-grips make bases easy to pick up

Post cap and hardware for attaching a sign included

Optional wheels makes moving signs even easier  
- heavy duty, non-scratch plastic wheels

Made in the U.S.A.

OPTIONAL WHEELS comes with two double wheel assemblies installed



# SIGN STANDS - SAFETY SIGNAGE

## ① Choose a Sign Stand

- 6 Sizes
- 3 Colors: white, yellow, or orange



**Barricades**

Hold signs 24"W x 12"H on top panel  
4 Types:  
Plasticade®  
Fibercade™  
Econocade™  
Combocade™

**Squarecade™ 45**

Holds signs 24"W x 24"H  
Dimensions: 45"H x 25"W  
18 lbs.

**Squarecade™ 36**

Holds signs 24"W x 24"H  
Dimensions: 36"H x 25"W  
17 lbs.

**Narrowcade®**

Holds signs 12"W x 24"H  
Dimensions: 45"H x 13"W  
11 lbs.

**Minicade®**

Holds signs 12"W x 24"H  
Dimensions: 36"H x 13"W  
10 lbs.

**Signicade®**

Holds signs 24"W x 36"H  
Dimensions: 45"H x 25"W  
18 lbs.

## ② Choose a Sign Legend

- Over 100 Standard Designs
- Custom Design Your Own Sign



## ③ Plasticade will Professionally Apply the Legend to the Sign Stand

- Hassle Free
- Guaranteed Application



### MESSAGE BOARD KIT

Show different messages daily  
Coroplast™ board comes with tracks permanently attached

2 boards per kit

Letter set contains over 300 letters and numbers plus "Sale" and "Special" headers

Indexed box for letter storage included in kit

Available For: Signicade Deluxe, Signicade, Wind Signs, & Simpo Sign II



